

TRIMO D.O.O.

PRIJATELJEVA CESTA 12  
8210 TREBNJE | SLOVENIA  
T: +386 (0)7 34 60 200  
F: +386 (0)7 34 60 127  
TRIMO@TRIMO-GROUP.COM  
WWW.TRIMO-GROUP.COM

Date: 04.12.2024

## Subject: VOCs statement: Comparison with limit value of AgBB regulation

To whom it may concern:

We hereby declare that Trimo d.o.o. has performed analysis and measurements of emissions of volatile organic compounds (VOC) for the products **Qbiss One** and **Trimoterm**. All tests have been carried out in an accredited test laboratory according to EN 16516 and ISO 16000-6. The testing methods are accredited in accordance with EN ISO/IEC 17035.

Trimo declares that all measurements and compounds content for **Qbiss One** and **Trimoterm** products with typical internal steel sheet have been found to be below the minimum levels required for building materials for indoor use, according to German AgBB scheme (Committee for Health-related evaluation of Building Products).

Parameter	Limit value after 28 days
TVOC	$\leq 1,0 \text{ mg/m}^3$
TSVOC	$\leq 0,1 \text{ mg/m}^3$
R value	$\leq 1$
Sum of VOC without NIK/LCI	$\leq 0,1 \text{ mg/m}^3$
Formaldehyde	$\leq 0,1 \text{ mg/m}^3$
Total carcinogens	$\leq 0,001 \text{ mg/m}^3$

Should you require any further clarifications or information do not hesitate to contact us.

Robert Ajdič  
Head of Quality department

**TRIMO**  
TRIMO D.O.O.  
PRIJATELJEVA CESTA 12  
8210 TREBNJE

2